

---

Subject: Beginner seeks help with "the usual question"

Posted by [Tim Buchanan](#) on Tue, 22 Jan 2002 01:08:06 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi ya, A long time ago I bought some peerless 10" drivers with a view to making a cheap system that would have a good, low-end response. The drivers I bought are the 831727's (260 SWR). I now have the time to start building the cabinets but don't know what volume and port measurements to use! The data sheet for the driver can be found here:

<http://www.d-s-t.com/peerless/data/831727.html> got a some e-mails from E. Francy that were a great help, but I accidentally deleted them when I cleared out my back log of e-mails (sorry Eric)! I think he suggested a box size of about 60 litres (2.1 ft<sup>3</sup>). Is this a good box size for a ported enclosure using this driver? I've purchased 66ml (2.6 inch) un-flared ports, how long should these ports be to give a flat but decent low-end response? I could use 100ml ports to be sure to avoid excess port noise, but the cabinets I have in mind aren't too deep and I thought 66ml was a trade off. Will port noise be an issue? To recap, what box and port measurements would work well for a flat, low-end response and will 66ml ports be too small vis-à-vis port noise? Thanks for your time. If you have any advice please feel free to contact me! Cheers, Tim