

---

Subject: using a wall of 15" woofers for bass.  
Posted by [noviygera](#) on Tue, 18 Aug 2009 07:16:22 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I have this idea to make a wall of woofers as a sub.  
Lets say the wall behind my main speakers is 82" high x 86" wide. Speakers are placed about 5 feet into the room.

I can make a fake wall (big panel) that's 70" x 80" and 12" into the room. Essentially a big open baffle panel that's a foot from the wall. Then mount 5 15" woofers spaced closely from top to bottom (checker board pattern) behind each speaker.  
Having a total of 10 15" woofers.  
Woofers can be cheap 15" with Qts of about 0.6. and Fs about 30Hz, 93 db efficient. (around \$20-\$30 each on parts-express)

Anyone try this?  
Is this a good idea to make good flat in room bass response?  
Will there be a noticeable delay between wall woofers and mains?  
How high can I crossover to mains? 70Hz? 120Hz?

-Herman

---

---

Subject: Multisubs  
Posted by [Wayne Parham](#) on Tue, 18 Aug 2009 15:12:11 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I think it's a good idea. Do a search here about multisub configurations.

---

---

Subject: Re: Multisubs/open baffle  
Posted by [noviygera](#) on Fri, 21 Aug 2009 02:38:48 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Did a search, read the articles downloaded "Edge" program to do a simulation. I ran into three issues:

1. My open baffle can be as tall as the basement height allows and therefore it can stand on the floor and go up to the ceiling, like a fake wall, making a vertical "short circuit" in the room. How do I properly enter this into the Edge program? "infinitely high and low baffle"?
2. The open baffle can be as close to the rear wall as the driver/mounting allows. What kind of effect will this have, do I need to somehow compensate for this effect or take into account when modeling in Edge? And will this work?

3. I can make the open baffle slightly LESS wide than the rear wall. I was thinking of making the open space to be the area of the driver cones. Is this a good idea?

Thanks,  
Herman

---

---

Subject: Re: Multisubs/open baffle  
Posted by [Wayne Parham](#) on Fri, 21 Aug 2009 03:54:36 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I don't use EDGE, so I'm no help there. Hopefully someone else that has experience with this program will chime in.

---

---

Subject: Re: Multisubs/open baffle  
Posted by [noviygera](#) on Fri, 21 Aug 2009 03:57:44 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Maybe this is the case where I just follow my instinct, build my idea and report the result. Will do

-Herman

---