
Subject: Did someone forget to pay the electric bill at Ausioasylum? (nt)

Posted by [Triode_Kingdom](#) on Thu, 14 Apr 2005 19:14:16 GMT

[View Forum Message](#) <> [Reply to Message](#)

no text

Subject: Re: Did someone forget to pay the electric bill at Ausioasylum? (nt)

Posted by [PakProtector](#) on Thu, 14 Apr 2005 20:38:05 GMT

[View Forum Message](#) <> [Reply to Message](#)

it would be my guess that our friends over there are taking longer to do some work than they expected. No big deal IMO, hardly worth the bandwidth to discuss it.regards,Douglas

Subject: Sure wish they would get back on-line...

Posted by [Ivan303](#) on Thu, 14 Apr 2005 22:54:18 GMT

[View Forum Message](#) <> [Reply to Message](#)

Boring as hell over here.

Subject: Re: Sure wish they would get back on-line...

Posted by [Manualblock](#) on Fri, 15 Apr 2005 00:14:19 GMT

[View Forum Message](#) <> [Reply to Message](#)

Behave now; you could be deleted for that.

Subject: Re: Did someone forget to pay the electric bill at Ausioasylum? (nt)

Posted by [Manualblock](#) on Fri, 15 Apr 2005 00:19:29 GMT

[View Forum Message](#) <> [Reply to Message](#)

T; Hey there, I need a favor. Can you remmember how you set the CCS for Guinevere? I burned out the two power Mos-Fet's and need to replace them. I never put the heatsink on so ergo.. So I am burning a PCB for them and forgot how to set the current. Thanks J.R.

Subject: Maybe do something else?

Posted by [Wayne Parham](#) on Fri, 15 Apr 2005 11:43:54 GMT

[View Forum Message](#) <> [Reply to Message](#)

Maybe get outside, go visit friends. See a movie or go to a dance club. Or maybe listen to music or work on a kit amp or something. In the meantime, if you're really missing Audio Asylum, then maybe this will help entertain you. You should feel right at home.

Subject: Re: Sure wish Taco Bell would get back on-line...

Posted by [Wayne Parham](#) on Fri, 15 Apr 2005 11:48:21 GMT

[View Forum Message](#) <> [Reply to Message](#)

No way. Ivan303 is one of the nicest guys here. Fitzmaurice was having some trouble with people in his forum, I spoke to him a couple of days ago. I guess he's deleted a lot of stuff, 'cause when I go back through some of the threads, I see a lot of "end of the internet" messages.

Subject: The return of the son of DN2540 CCS

Posted by [Damir](#) on Fri, 15 Apr 2005 18:40:05 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi, you can set the current by changing the resistance of R3 - "trimmer" pot. The best way, (as Doug explained earlier) is to use 9V battery, and connect it like on the diagram:- our CCS is Q1, Q2, R2, R4 and R3 pot- connect +pole of 9V battery to the upper mosfet drain (where you'd connect B+=200V in "Guinevere")- connect minus pole to the "anode out" of our CCS in series with 100 Ohms resistor - see the schematic- connect the voltmeter (set on about 4V range or so) between the points B & C (across 100 Ohms resistor)- you can set the P3 in the middle position, and slowly turn it on one side - the "goal" is 1,5V DC reading on our voltmeter. Ohms Law - 15mA "through" the 100 Ohms resistor is 1,5V DC voltage "drop". When you decrease the resistance - current increases, and opposite.- in my case, I get R3=100,5 Ohms for the first CCS I built, and 112,6 Ohms for the second- you can leave R5=100 Ohms in place when you install CCSs in "Guinevere" and check the current again- for more, see "Grup Build" forum, I posted new PCB

Subject: Re: The return of the son of DN2540 CCS

Posted by [Manualblock](#) on Fri, 15 Apr 2005 21:59:14 GMT

[View Forum Message](#) <> [Reply to Message](#)

Good to see you back, Damir. Hope all is o'kay and thanks for this post; J.R.

Subject: and with Damir's fine drawing...

Posted by [PakProtector](#) on Sat, 16 Apr 2005 23:46:18 GMT

[View Forum Message](#) <> [Reply to Message](#)

One can test in-circuit. Attach the + lead to either A or B(the same thing circuit-wise), and the - end to ground, and set meter to mA of current. ****check the safety fuse in the meter first. If it's blown, you won't get a reading.***the bias LED's will go out. All the regulated current will bypass the amplifier triode through the meter.regards,Douglas
