Subject: Deja Vu all over again

Posted by Sue Kraft on Sun, 29 Aug 2004 12:42:29 GMT

View Forum Message <> Reply to Message

I see my posts were deleted again yesterday. Pretty much the same thing that happened last year when I first tried participating here, along with a few of the guys from the Annex. Part of the explanation from the moderators was that they don't want the Asylum's moderation discussed here on the general board. Then why hasn't the entire thread been removed?Sue

Subject: Hey Sue,

Posted by Wayne Parham on Sun, 29 Aug 2004 14:29:07 GMT

View Forum Message <> Reply to Message

We generally try to allow free expression, but there are a few things that aren't allowed here. Please see the rules page to find out what stays and what goes.

Subject: Well, I thought about typing up a meaningful response... Posted by Sue Kraft on Sun, 29 Aug 2004 15:19:23 GMT View Forum Message <> Reply to Message

...but why bother? It would only get deleted anyway. I don't always agree with everything that's posted at the Annex, but you have to give those guys a lot of credit for being one of the few (if not the only) audio forum where you can actually speak your mind.

Subject: Re: Well, I thought about typing up a meaningful response... Posted by Manualblock on Sun, 29 Aug 2004 19:52:36 GMT View Forum Message <> Reply to Message

I could use some help designing a power supply....that would be meaningful to me.

Subject: Re: Well, I thought about typing up a meaningful response... Posted by Wayne Parham on Sun, 29 Aug 2004 23:23:40 GMT View Forum Message <> Reply to Message

Whatcha working on John? Or was that a rhetorical statement? Either way, good point. As I recall, you and Eric were talking about fast recovery diodes and tubes for rectifiers, as opposed to standard 1N400x silicon diodes. The HF switching noise is reduced, but I can't recall which you preferred, HEXFRED's or vacuum tubes. Which do you like best for your power supplies?

Subject: Re: Well, I thought about typing up a meaningful response... Posted by Wayne Parham on Mon, 30 Aug 2004 00:06:18 GMT

View Forum Message <> Reply to Message

Please see my reply to you in the Dungeon.

Subject: Re: Deja Vu all over again / My being responsible?? Posted by L.Alter on Mon, 30 Aug 2004 12:22:06 GMT

View Forum Message <> Reply to Message

Dear Ms. Kraft:I wrote a rather 'tough' and direct reply to your supposition (negative in nature) about my being aligned with some other poster at another audio site. Maybe I was *perceived* as not contributing to the nature of this forum OR not being cooperative enough with fellow posters. IF SO--and I'm only supposing--then, I am to blame, here. I was wrong. Take care. Please contribute in your own way. Cartoons, welcomed! (I'll admit the last was cute and lesson-imparting) Yours, Laurence Alter

Subject: Re: Deja Vu all over again / My being responsible?? Posted by Wayne Parham on Mon, 30 Aug 2004 13:01:49 GMT

View Forum Message <> Reply to Message

Hi Laurence,Lets move this over to the Dungeon so it doesn't get deleted again. See my reply to Sue there.Wayne

Subject: Re: Well, I thought about typing up a meaningful response... Posted by Manualblock on Mon, 30 Aug 2004 13:09:32 GMT

View Forum Message <> Reply to Message

Thanks for the offer Wayne. The only experience I have with Hexfreds is with my Pre-amp. I replaced the stock diodes with them. They sound a little smoother and they soften up the upper mids somewhat in my system. The damper diodes Eric turned me on to might make a good compromise but only if they are bridged or so I hear. That leaves Mercury Vapor Rec. tubes but to a novice they seem daunting but they are self regulating and provide plenty of plate voltage. So what do you think?

Subject: Re: Well, I thought about typing up a meaningful response... Posted by Wayne Parham on Mon, 30 Aug 2004 13:29:48 GMT

View Forum Message <> Reply to Message

Hi John,I just replied over in the Tubes forum. We must have been typing at the same time. Off the top of my head, I'm thinking I'd go with a simple power supply circuit, bridge rectified if I could use four diodes and if not, go with a pair of diodes instead. I'd probably use an LCL filter on the output so the only the hurdle to overcome is finding caps that have high enough voltage breakdown rating. One thing I've thought about and that I'd like to investigate is the use of 78xx or 79xx regulators for filament supplies. On one hand, it's nice to remove all semiconductors and be old school. On the other hand, it seems like the regulator might really decrease hum. Just a thought; What do you think? Wayne