

---

Subject: 4 Pi plan  
Posted by [Sixela666](#) on Tue, 29 Sep 2015 12:13:56 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hello,

Can you send me the 4Pi plans.

Thanks a lot.

---

---

Subject: Re: 4 Pi plan  
Posted by [Wayne Parham](#) on Tue, 29 Sep 2015 16:47:51 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

You've got mail!

---

---

Subject: Re: 4 Pi plan  
Posted by [Sixela666](#) on Fri, 02 Oct 2015 12:49:51 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Thank you,

i will order 2 horns soon.

Do you have a metric version of the plan ?

---

---

Subject: Re: 4 Pi plan  
Posted by [Wayne Parham](#) on Sun, 04 Oct 2015 17:20:53 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Sorry, no metric version of any of our plans is available. But it's a fairly simple cabinet, and you can use a conversion program to calculate each dimension.

---

---

Subject: Re: 4 Pi plan  
Posted by [Sixela666](#) on Thu, 24 Dec 2015 09:28:11 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi,

I will start to build a pair of 4pi soon,

H290c are ordered, B&C 250 will be ordered soon, pair of 2226h & new tools are at home.

I have three questions :

About the crossover,

- Can r2a, r2b, r2c, r2d be replaced by their equivalent resistances which is ... 16Ohms.
- Same for r1a, r1b, r2c, r2d, the equivalent resistance is 25ohms.

About the damping, I'm not sure to understand what R11 or R13 means, is it only about thickness ?

(We don't use this kind of references here in Belgium)

Is 4 inch thick ok ? what about 6 inch ?

Thanks And Merry Christmas.

---

---

Subject: Re: 4 Pi plan

Posted by [Wayne Parham](#) on Thu, 24 Dec 2015 16:15:14 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

was just done to increase thermal capacity. Using four 10 watt parts we can dissipate 40 watts in each branch safely. See pages 69 and 71 of the Speaker Crossover analysis document to see the power dissipation curve for each of those parts.

The damping material should be cut from a fiberglass sheet that's approximately 2" - 3" thick. I think sheets that are 4" thick would be great too. Just compress them a little bit when you're installing them.

---