

---

Subject: Cleaning Connections on Equipment  
Posted by [positron](#) on Wed, 14 Dec 2022 04:08:03 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I am thinking this could help some newbies in keeping the musical quality up to new standards, or at least close.

How often do you clean all your connections?

What "cleaner" do you use?

Any other advice?

Cheers

pos

---

---

Subject: Re: Cleaning Connections on Equipment  
Posted by [Wayne Parham](#) on Wed, 14 Dec 2022 05:06:47 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

For me, it depends on the connector. I almost never clean gold connectors. Silver connectors are also pretty trouble-free; they definitely oxidize but silver oxide is conductive. It's very hard too, as an aside. But I'd probably clean my silver connectors every so often if I weren't moving the gear around that has silver conductors anyway. That makes the cleaning process somewhat automatic.

The really troublesome stuff is the gear with the old tin contacts. I don't have any hifi gear with tin contacts, except for one thing, the tube sockets. And I have a ton of vintage gear with tin contacts. I tend to "reseat" tubes pretty frequently - at least every few months - which is a sort of an abrasive form of cleaning.

Same thing with potentiometers. I sometimes hit those with tuner cleaner or flux remover but even more often - in between "real cleanings" - I run the wiper back and forth from stop to stop several times to brush the dust out.

---

---

Subject: Re: Cleaning Connections on Equipment  
Posted by [johnnycamp5](#) on Wed, 14 Dec 2022 22:35:11 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I use deoxit for the tube pins.  
Any harm spraying it in the tube sockets as well?

---

---

Subject: Re: Cleaning Connections on Equipment  
Posted by [gofar99](#) on Fri, 16 Dec 2022 01:53:18 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi, I have used deoxit that way as well. It works fine...just don't get it on any painted surfaces as it can damage them. In older RCA jacks you can spray it on a Q tip and swab the holes. It usually works. As a general rule don't use WD40 on anything audio. It tends to leave a residue that will build up over time and cause a problem worse than the one you wanted to cure.

---

---

Subject: Re: Cleaning Connections on Equipment  
Posted by [positron](#) on Tue, 17 Jan 2023 19:32:08 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I have been using spray cleaner that leaves no residue. My tube sockets are gold plated, which seem to work nicely over the years.

I tried an experiment, some year or more ago, of fastening the speaker wires to the speaker jacks as an anchor, but soldering a wire directly from the speaker wires to the crossover, eliminating one physical pressure connection.

It is working fine as I found the bass was more consistent. Maybe my fingers are weak from age, but I found that tightening with a wrench improved the bass tautness, by increasing contact area due to surface irregularities, and is gas tight. (Of course I did not strip the threads.) Might be something worth trying.

Cheers

pos

---

---

Subject: Re: Cleaning Connections on Equipment  
Posted by [Wayne Parham](#) on Tue, 17 Jan 2023 20:18:38 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

One of the more interesting developments I have witnessed in connector technology has been the progression of crimp connections. Not so long ago, I always preferred soldered connections to those that were crimped. As an example, crimped connectors were popularly used in cars, but they really sucked. They were only marginally better than twisting wires together and covering them with tape. So I tended to always solder wire splices and protect with heat-shrink tubing. I still do.

What made matters even worse were the early digital controls in cars, which were even more sensitive to poor connections than analog stuff. Not only did cars serviced at repair shops and

---

modified by "weekend warriors" suffer from poor connections - those added during repairs or aftermarket add-ons - but even the factory stuff failed as it oxidized. Many of the production approaches used in 1980s cars weren't suitable and were unreliable.

Not related, but I saw EPROM chips in early computers sent from the factory, which surprised me because American car manufacturers produced enough to make a regular ROM chip feasible. EPROM chips are erased with ultraviolet light, so a cover is placed over their erasure window. But even if covered, an EPROM doesn't last forever, and will eventually become deprogrammed. ROMs last much longer. So that was another reason that electronics in early 1980s cars really sucked.

But auto manufacturers learned from those problems, and by the year 2000, the digital electronics they put in cars were very reliable. A lot of this was due to advancements in connector technology. Removable connectors used sealed gaskets and crimps were gas-tight. Their gas-tight crimps are better than soldering, offer lower resistance and no chance of failing from heat-cycling that can cause a solder connection to fail just like a cold solder joint.

---

Subject: Re: Cleaning Connections on Equipment  
Posted by [gofar99](#) on Tue, 24 Jan 2023 02:19:07 GMT  
[View Forum Message](#) <> [Reply to Message](#)

Hi Wayne...food for thought.

---

Subject: Re: Cleaning Connections on Equipment  
Posted by [Becky](#) on Sun, 02 Nov 2025 15:36:15 GMT  
[View Forum Message](#) <> [Reply to Message](#)

Oh! That's a good reminder. I don't clean mine super often, maybe every few months when I noticed that the sound is getting a bit fuzzy. I just use a little isopropyl alcohol and a soft cloth or cotton swab, just nothing fancy.  
My dad always says to unplug everything first and make sure it's fully dry before reconnecting. It really does make a difference in the sound!

---

Subject: Re: Cleaning Connections on Equipment  
Posted by [Helen](#) on Thu, 20 Nov 2025 05:36:25 GMT  
[View Forum Message](#) <> [Reply to Message](#)

I'm definitely not an expert, but with kids running around and everything getting dusty all the time, I try to clean the connections every few months just to keep things sounding decent. I use something simple like DeoxIT because it's quick, and I don't have to fuss with it too much. I just unplug everything, give the connectors a light spray, and that's it.

Other than that, I just try to keep the area tidy and make sure the cables aren't being tugged

or bent. With a busy house, that alone seems to make a big difference.

---

---

Subject: Re: Cleaning Connections on Equipment  
Posted by [Kurt](#) on Wed, 25 Feb 2026 19:25:06 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

When it comes to cleaning my musical equipments especially my Fender tube amps, I am always extra careful because of the heat and considering the fact that it's been in use for a long time. Cleaning those type of musical tools happens every 4 months because I don't like them developing any fault.

Also, I ensure that I keep musical instruments in a place that is not dusty or humid.

The tips that I have for newbies that wants to know how to clean their musical instruments are to ensure that they unplug the musical instruments first from the power source, and to avoid using cheap cleaners that might end up destroying the plastic components.

Again, I make use of soft brushes for cleaning jacks, and it has been working super fine for me. Lastly, I

---