

---

Subject: 1:1 throat area

Posted by [DMoore](#) on Tue, 20 Feb 2007 21:20:19 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I think one consideration is the size of the diaphragm being employed in a 1:1 throat area. It is conceivable that a relatively small cone in a low Fc horn with a proper mouth size would provide enough pathway length to achieve a considerable amount of acoustic resistance applied to the cone. As the cone diameter and the corresponding throat size increase, the horn pathway would shorten for a given Fc and mouth size, and the acoustic resistance would be reduced as a matter of course. The resulting response due to increased impedance/reactance caused by a too-short-horn would be more "peaky" in such a case. The typical design response is to raise the Fc of the horn in question. The matter seems to be related to overall pathway length, mouth size, and Fc, and the diaphragm/throat size is subjective in relation to that consideration. DM

---

---

Subject: Re: 1:1 throat area

Posted by [DMoore](#) on Tue, 20 Feb 2007 21:21:33 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Sorry. meant to be a response to horn questions thread below...

---

---

Subject: Re: 1:1 throat area

Posted by [Cuppa Joe](#) on Wed, 21 Feb 2007 05:01:41 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I'm considering a 10" driver (again) for this application, as opposed to a 12" as used in the MSL-4. I'd also consider a pair of stacked 8" drivers (for power handling) if necessary, to get a longer horn for the mouth size. It's all just a clump of ideas for now!

---

---

Subject: Re: 1:1 throat area

Posted by [Wayne Parham](#) on Wed, 21 Feb 2007 15:48:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

There's also the matter of front and rear chamber volume. Front chamber area plays a big part in upper frequency response and ripple, acting something like an acoustic low-pass filter.

I really like using Hornresp, it does a great job and lets you compare several designs before making and testing a physical model.

---

---

Subject: Re: 1:1 throat area  
Posted by [DMoore](#) on Wed, 21 Feb 2007 20:26:43 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

The front chamber MIGHT be a moot point in a 1:1 throat ratio, seems to me. Although I suppose one could add one to limit the higher frequency bandpass as needed. An appropriately targeted crossover point would accomplish the same thing, but then there are numerous other considerations that come into play. If employed in a less-than 1:1 diaphragm-to-throat ratio, the front chamber would act as a low-pass filter by attenuating higher frequencies. In essence, the front chamber is an acoustic filter by its physical dimensions and could give a -6db rolloff on the upper frequency bandpass. A horn that lacks a front-chamber (1:1) PER SE would be limited in its upper band pass as a result of foldings (if any), and the mass rolloff, electrical impedance, etc., of the driver, amongst other considerations. DM

---

Subject: Re: 1:1 throat area  
Posted by [Wayne Parham](#) on Thu, 22 Feb 2007 02:47:02 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

The front chamber is absolutely a mute point when the driver isn't necked down by the throat. The front chamber volume is zero. And, yes, I agree, one could make something that had a front chamber that then had an opening that was equal to diaphragm area. Then there would be a front chamber volume, but I don't think that's what you or CuppaJoe were talking about. I really just brought it up because the front chamber volume is a parameter to be configured when designing a horn. When the throat area equals the diaphragm area and there is no front chamber, the characteristics are different than the same horn with a compression chamber of some size. It's all configurable, like setting the values of capacitance, inductance and resistance in a reactive circuit.

---

Subject: Re: 1:1 throat area  
Posted by [Cuppa Joe](#) on Thu, 22 Feb 2007 04:24:13 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I was knocking around some ideas for a low-compression throat section which would mount over the driver from the front of the horn. I imagine it to be more of a smoothing transitional guide intended to reduce reflections of higher frequencies. Maybe it will cover only the driver's frame, maybe it will encompass the surround, as well. Is there any real harm if the throat expansion is a wider angle than that of the horn walls?

---

Subject: Re: 1:1 throat area

---

Posted by [Wayne Parham](#) on Thu, 22 Feb 2007 16:04:50 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Generally, the closer to the diaphragm, the more impact flare changes make. I would not want the throat expansion rate to be greater than the rest of the flare, unless the area where this happened was small in relation to wavelength through the bandwidth of the device. On the other hand, there may be cases where this kind of shape smooths the response curve or does something otherwise beneficial. I'd sure check it with Hornresp to see what effect that short section at the throat entrance will have.

---

---

Subject: Re: 1:1 throat area

Posted by [DMoore](#) on Thu, 22 Feb 2007 17:28:27 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

That example would be a multiple-flare horn or a "rubber throat". Not typical of a "straight" horn, though. Better used in a longer folded type bass horn to reduce throat impedance. On the other hand, though, the 1978 EV midrange horn (Keele) US patent # 4,071,112 has 3 separate flare rates for purposes of bandwidth and coverage pattern. So there is no real limitation as to what you can do if you can achieve a balance of all the variables involved to arrive at your particular goals. DM

---

---

Subject: Re: 1:1 throat area

Posted by [Wayne Parham](#) on Thu, 22 Feb 2007 17:49:10 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Klipsch's rubber throat does that, you're right. But as you've said, it was done on undersized

smaller scale for a midhorn though, so I think it was worth noting. Good call. The use of changing wall angle to increase uniformity of a constant directivity horn is a different matter, because it addresses the loss of pattern control. What CuppaJoe is talking about is widening a very small area near the throat. This will not widen or narrow the pattern at any frequency. It might cause a reflection at high frequency, hopefully, out of band. But the pattern would not be set by this feature because the rest of the wall angle constricts radiation to a narrower pattern.

---

---

Subject: Re: 1:1 throat area

Posted by [Cuppa Joe](#) on Fri, 23 Feb 2007 03:28:25 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I'm thinking that the transition should be either as short as possible, or very gradual if it must be longer. The first idea was small strips of solid wood with triangular cuts, assembled like a picture frame. Not sure what to do about the corners, if anything. Maybe the frame could include a phase plug? (I'd rather not muck about with phase plugs...!) I just want to discourage reflections off the baffle/throat panel.

---

---

Subject: Re: 1:1 throat area  
Posted by [swett](#) on Fri, 23 Feb 2007 20:56:03 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Have you read this paper by JBL? They have a very complex looking phase plug and it talks about why using smaller(6" and 8") drivers is wise for a midrange horn/waveguide.[http://www.jblpro.com/PD5000/PDF/PT\\_WaveGuide.pdf](http://www.jblpro.com/PD5000/PDF/PT_WaveGuide.pdf)

---

---

Subject: Re: 1:1 throat area  
Posted by [Cuppa Joe](#) on Sat, 24 Feb 2007 04:19:21 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Thanks for the link, Ian! Article is downloaded, I'll let you know what I think when finished reading later this year.... Since the considered cones might be paired with a 2" horn/driver combo, I'm hesitant to go smaller than 10", unless I decide to use an adaptor for a 1" driver instead (entirely feasible). The HF horn I have in mind is the DDS CFD2-25, with an interchangeable 25x30 degree coverage, turned sideways for the 30-degree application. I took example for the "Transitional Throat Waveguide-type Thingy" from the EV X-Line 3-way box. The vertically stacked pair of 8" cones have what I seek.

---

---

Subject: Re: 1:1 throat area  
Posted by [Wayne Parham](#) on Tue, 27 Feb 2007 00:41:32 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I initially intended (wanted/expected) to use a 6" or 8" driver in my midhorn, but couldn't get the response I wanted, mostly down low. The horn can be made large enough, but driver parameters prevented me from getting the low end and smooth response I wanted. Not to say that's the case for every driver, but it was for the ones I was looking at.

---

---

Subject: Re: 1:1 throat area  
Posted by [swett](#) on Tue, 27 Feb 2007 17:44:22 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Which drivers did you try?

---

---

Subject: Conical midhorns with 6" and 8" drivers  
Posted by [Wayne Parham](#) on Tue, 27 Feb 2007 18:54:53 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I evaluated the Eminence Alpha 6, LA6-MB, LA6-MR, LA6-CBMR, Alpha 8 and Beta 8. Some I simply modeled, and found them too far out of line to be worth building a physical model to test. Some I decided would be worth building a prototype to measure, but ultimately found various things that prevented me from choosing any of those drivers. The problems I encountered were peaky response or too little lower midrange extension for my purpose. However, Adrian Mack used the Alpha 6 and was pleased with its performance. Response didn't go low enough for what I wanted to do, but his horn looked great to me and I expect it probably sounded good. Check out Adrian's posts in the links below: Adrian Mack's tractrix midhorn development thread Midhorn driver selection Hornresp questions Adrian's early Hornresp models for his tractrix midhorn Adrian considers the Alpha 6 driver for his midhorn Adrian Mack learning my crossover models in Spice to design the crossover for his speakers Adrian describes his overall cabinet design plan Adrian finishes making a physical model of his tractrix midhorn Adrian posts measurement results of his tractrix midhorn Discussion about summing between subsystems Adrian contemplates going with a conical midhorn Adrian considers using the Pi crossover with a conical midhorn Adrian builds a prototype conical midhorn Adrian measures his conical midhorn Adrian measures a completed midhorn, settles on this design More measurements of Adrian's midhorn Adrian decides on the rear chamber for his conical midhorn Adrian's speakers come together Adrian's speakers getting closer to completion Adrian concerns himself with speaker placement

---

---

Subject: Re: Conical midhorns with 6" and 8" drivers  
Posted by [Cuppa Joe](#) on Thu, 01 Mar 2007 03:47:14 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Have you tried any of the smaller-format B&C drivers in any horn designs, like the 8PE21 or the 6MD38?

---

---

Subject: Re: Conical midhorns with 6" and 8" drivers  
Posted by [Wayne Parham](#) on Thu, 01 Mar 2007 05:27:23 GMT

---

[View Forum Message](#) <> [Reply to Message](#)

---

I didn't try any B&C cone midrange drivers. If you do, by Hornresp model or physical prototype, let us know what you find, will you?

---

---

Subject: Re: Conical midhorns with 6" and 8" drivers  
Posted by [Cuppa Joe](#) on Fri, 02 Mar 2007 02:52:40 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Eventually, I'll get a round tuit and model the 8PE21, as I'd like to use it in something. Personally, if money weren't an option, there's PLENTY of brands I'd choose first over Eminence! Amongst others, the B&C 1" drivers and smaller cone midranges are some of the better choices. The semi-obscure Oberton has received some good feedback about their 1" drivers, as well ([www.oberton.com](http://www.oberton.com)). Some of their cones look kinda iffy, though....

---

---

Subject: Re: Conical midhorns with 6" and 8" drivers  
Posted by [Wayne Parham](#) on Fri, 02 Mar 2007 03:38:31 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I've always considered Eminence to be a good brand, but I do prefer JBL in most cases. JBL puts a shorting ring in most of their woofers and mids, and that makes a big difference. B&C strikes me as being somewhere in between.

---

---

Subject: Re: 8PE21 Horn  
Posted by [swett](#) on Mon, 05 Mar 2007 06:52:54 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

In my simulations of a 20"x10" horn (vs 24x12 for the Pi horn), all the horns in the 180-200cm<sup>2</sup> throat range looked good. With a spec'd Sd of 220, I imagine a throatless 8PE21 horn would be almost as good. One question of mine has been how to create a throatless midrange horn, since 220cm<sup>2</sup> is quite a bit smaller than the spec'd 8" diameter. Therefore, you'd still need to create a 'throat' of sort to cover the driver's surround.

---