

Subject: Stupid line array question number 3
Posted by [Elvis](#) on Wed, 21 Mar 2007 23:14:46 GMT
[View Forum Message](#) <> [Reply to Message](#)

I'm assuming that when you wire speakers in series they look like a line with the positive wired to the negative and then the negative wired to the positive etc. Groups of series and parallel look like a ladder. The bottom of the ladder are the connections to the amp: one positive, and one negative. The rungs are the groups of series wired speakers. IF my calculations say that I need 2 four speaker groups wired in parallel, then I would have 2 sets of 4 speakers in series. Each of these 2 sets would be the rungs of the ladder. My stupid question is: is the last rung, one of the two sets of 4 speakers in series, or do the sides of the ladder continue and connect with a solid wire effectively joining the positive and negative wires in one more rung above the speakers which is a solid wire, or does it not really matter? Elvis

Subject: Re: Stupid line array question number 3
Posted by [Wayne Parham](#) on Thu, 22 Mar 2007 13:58:13 GMT
[View Forum Message](#) <> [Reply to Message](#)

If you need two parallel blocks, and each is connected in series, this is what it would look like:



Subject: This looks like the opposite of what I'm asking....
Posted by [Elvis](#) on Thu, 22 Mar 2007 14:16:05 GMT
[View Forum Message](#) <> [Reply to Message](#)

That looks like two groups each with 4 speakers in parallel, which are connected in series connected in series. I'd be talking about two groups of 4 speakers which are connected in series, and both of these groups connected in parallel

Subject: Re: Stupid line array question number 3
Posted by [cfranz](#) on Thu, 22 Mar 2007 15:20:06 GMT

Subject: Re: Stupid line array question number 3
Posted by [FredT](#) on Fri, 23 Mar 2007 10:28:30 GMT
[View Forum Message](#) <> [Reply to Message](#)

It's not a stupid question at all. I've wired several arrays and I still get so confused that I use different color wiring for the positive leads (white), negative leads (black), and the leads that go from one speaker's positive terminal to the next speaker's negative (gray). See the link below for a wiring diagram of two groups of four drivers each, where the drivers in each group are series-wired, and the two groups are parallel-wired. This scheme results in an overall impedance that's twice the impedance of each individual driver.

[Art Array Wiring Diagram](#)
