
Subject: Old Philips Reciever needing repair
Posted by [Ryan](#) on Tue, 14 Mar 2006 01:04:23 GMT
[View Forum Message](#) <> [Reply to Message](#)

FolksI use a Philips 7831 receiver that I bought in 1980. While I've tried, nothing beats it's sound. However, the left channel is staticy and fades in and out. Would anyone know what would cause this or how I might have it repaired?A few years back I brought it to a repair shop and was cheated. Upon investigation it appears the unit was never even opened.Any advice is welcome!Charlie

Subject: Re: Old Philips Reciever needing repair
Posted by [MWG](#) on Tue, 14 Mar 2006 14:54:33 GMT
[View Forum Message](#) <> [Reply to Message](#)

What I would try first is a can of Caigs DeOxit. Spray the switches and work them vigorously after spraying them. The switches and pots collect dust & dirt and cleaning them can't hurt a thing. Don't know if this will solve your problem but it's a place to start.

Subject: Re: Old Philips Reciever needing repair
Posted by [Wayne Parham](#) on Tue, 14 Mar 2006 18:35:02 GMT
[View Forum Message](#) <> [Reply to Message](#)

Nice catch, good idea.

Subject: Re: Old Philips Reciever needing repair
Posted by [Ryan](#) on Thu, 16 Mar 2006 11:09:20 GMT
[View Forum Message](#) <> [Reply to Message](#)

MWGThankyou for your advice. What are the pots that you mention? Charlie

Subject: Re: Old Philips Reciever needing repair
Posted by [MWG](#) on Thu, 16 Mar 2006 17:41:20 GMT
[View Forum Message](#) <> [Reply to Message](#)

The volume control, balance and some tone controls usually are potentiometers. These are usually closed and held together by metal tabs. You can usually stick the plastic spray tube in or near openings and spray generously and work the control back and forth vigorously. Wipe up any DeOxit that's laying on the chassis or other components and allow it a few minutes to dry before turning it back on. You might have to repeat this step a time or two. Also while you're there clean off any dust and dirt as best you can. I'm not a tech so there are better ways of doing it possibly and I'm sure better ways to explain how to do it. Hope this helps.
