
Subject: Port length on multiple ports
Posted by [AP](#) on Mon, 24 Sep 2001 11:28:52 GMT
[View Forum Message](#) <> [Reply to Message](#)

What happens to port length when 2 or more ports are used in the same box?? Scott

Subject: Re: Port length on multiple ports
Posted by [Wayne Parham](#) on Mon, 24 Sep 2001 15:08:25 GMT
[View Forum Message](#) <> [Reply to Message](#)

Grab a copy of BoxPlot because it will calculate multiple ports.

Subject: Re: Port length on multiple ports
Posted by [AP](#) on Thu, 27 Sep 2001 14:52:18 GMT
[View Forum Message](#) <> [Reply to Message](#)

Thinking about a home project related to this. Vas-151LQts-.39Coffee table size box (yes, it would be my coffee table). Internal dimensions 13"x22.5"x34.5" (assuming 3/4" wood). I figure I'd end up around 155L with internal bracing. 4"x12" port. Tuned to 21 Hz. Driver and port on one end. As near as I can tell, it'll stay flat and 3db down would be around 20Hz. What do you think? Thanks man! Scott

Subject: Re: BTW, it's a 12.....
Posted by [AP](#) on Thu, 27 Sep 2001 14:53:19 GMT
[View Forum Message](#) <> [Reply to Message](#)

Subject: Box tuning
Posted by [Wayne Parham](#) on Thu, 27 Sep 2001 16:05:09 GMT

[View Forum Message](#) <> [Reply to Message](#)

To calculate box tuning, you'll need to know a little more. What is the resonant frequency in free air?

Subject: Re: Box tuning-Fs=21Hz
Posted by [AP](#) on Fri, 28 Sep 2001 10:58:52 GMT
[View Forum Message](#) <> [Reply to Message](#)

Subject: PiAlign'ed at 2 cu ft tuned to 20Hz
Posted by [Wayne Parham](#) on Fri, 28 Sep 2001 11:27:26 GMT
[View Forum Message](#) <> [Reply to Message](#)

You have a motor with these specs: $V_{as}=5.33$ cu ft $F_{ts}=21$ Hz $Q_{ts}=0.39$ So PiAlign equivalents are: $V_{ad}=5.33$ $F_{rd}=21$ Hz $Q_d=2.56$ PiAlign recommends a 2 cubic foot cabinet tuned to 20Hz using either a cylindrical 5" long, 1 5/8" diameter port or a rectangular 1" x 2" x 5" long port. You can grab a copy of BoxPlot on the Pi Speakers website to show the response of this cabinet using Thiele/Small analysis. The box you've proposed is about 5 cubic feet, and I suspect that will work just fine. The driver will probably work very well in cabinets from 1.5 cubic feet to 6 cubic feet or so, tuned to 20Hz. You can use BoxPlot to find an alignment that will give acceptable response in this size cabinet.

Subject: Re: PiAlign'ed at 2 cu ft tuned to 20Hz
Posted by [AP](#) on Fri, 28 Sep 2001 12:39:10 GMT
[View Forum Message](#) <> [Reply to Message](#)

Thanks for the help Wayne.Scott

Subject: Re: PiAlign'ed at 2 cu ft tuned to 20Hz
Posted by [Wayne Parham](#) on Fri, 28 Sep 2001 15:53:39 GMT
[View Forum Message](#) <> [Reply to Message](#)

No problem. Let us know how it works out.
