
Subject: jbl 4655 at tent sale

Posted by [replay](#) on Fri, 02 Nov 2001 01:23:27 GMT

[View Forum Message](#) <> [Reply to Message](#)

i'm in trouble now! just ordered 4 pairs of these speakers from the tent sale.<http://www.jblpro.com/pages/install/4655bk.htm>. i figured the drivers are worth triple the cost of the complete speakers. c'mon \$222.00 a pair delivered. wayne, any info on an improved cabinet for these babies? or are these good enough left alone. can i build some killer's with these components? thanks,george

Subject: Re: jbl 4655 at tent sale

Posted by [pickle](#) on Fri, 02 Nov 2001 12:56:03 GMT

[View Forum Message](#) <> [Reply to Message](#)

I'd have suggested springing for two CS3115's, for another couple hundred bucks.....the 3115's have the top notch components, and could be cannibalized for a Pi cabinet.....

Subject: Re: jbl 4655 at tent sale

Posted by [Chris R.](#) on Sat, 03 Nov 2001 01:12:44 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hey Wayne, I turned a friend on to the tent sale, and he called and they told him the CS3115's are all gone. So... any opinion on the components in the 4655's? They are rather inexpensive. Thx, Chris

Subject: Re: jbl 4655 at tent sale

Posted by [Wayne Parham](#) on Sat, 03 Nov 2001 03:34:03 GMT

[View Forum Message](#) <> [Reply to Message](#)

The tweeter is a 2416, which is basically the same thing as a 2426. The woofer is a 2032, which is a low-cost alternative to the 2226.

Subject: 4655 uses 2032H lf driver
Posted by [Sam P.](#) on Thu, 08 Nov 2001 18:50:15 GMT
[View Forum Message](#) <> [Reply to Message](#)

2032H specs from jbl Fs 57 Hz Qts 0.54 Qms 5.5 Qes 0.6 Vas 133.1 liters eff 4 Pe 300 watts Xmax 6.35 mm Re 4.2 ohms Le 0.6 mH Sd 0.088 meters Bl 12.8 Mms 65
Flux 1 personally, I have my doubts about "how low" these will play...what do you think, Wayne?
BTW, the 2404H-1's look great, still 20 left. Sam

Subject: Re: 4655 uses 2032H lf driver
Posted by [Wayne Parham](#) on Fri, 09 Nov 2001 02:00:53 GMT
[View Forum Message](#) <> [Reply to Message](#)

I'd say they probably have f3 around 60Hz - 70Hz. PiAlign recommend that this driver be installed in a 2.5 cubic foot cabinet tuned for 40Hz, which provides flat response down to system cutoff of f3 at 70Hz and f10 at 50Hz.

Subject: Re: jbl 4655 at tent sale
Posted by [Wayne Parham](#) on Fri, 09 Nov 2001 04:07:56 GMT
[View Forum Message](#) <> [Reply to Message](#)

Those are JBL's budget models. For the tent sale price, they're a bargain.

JBL 4655

Subject: Re: 4655 uses 2032H lf driver
Posted by [bmar](#) on Fri, 09 Nov 2001 17:58:44 GMT
[View Forum Message](#) <> [Reply to Message](#)

I picked up a few of these to use as rear surrounds for home theatre setup. I thought they would be pretty good for this purpose.any input.thanks,Bill

Subject: Re: 4655 uses 2032H lf driver
Posted by [Wayne Parham](#) on Sat, 10 Nov 2001 01:59:06 GMT
[View Forum Message](#) <> [Reply to Message](#)

Perfect. I'll bet that's their intended application, probably what JBL designed them for.

Subject: Re: 4655 uses 2032H lf driver
Posted by [bmar](#) on Sat, 10 Nov 2001 04:14:44 GMT
[View Forum Message](#) <> [Reply to Message](#)

excellent! I also have a few 3115's coming my way. I will be asking your assistance for a Pi enclosure and crossover for these components. I am going to have to open them up when they arrive to get the actual motor specs. I have info from JBL that states the 2226 is 4 ohm and the hf driver is a 2425 and not a 2426. might be better to start a new thread when I have all the correct info and more to ad about the room and what I would like them to do. thanks as always, Bill