
Subject: Thermonic 3pi substitute?

Posted by [SteveBrown](#) on Wed, 26 Dec 2001 15:24:10 GMT

[View Forum Message](#) <> [Reply to Message](#)

I've been exploring speakers for a few months now. I had plans to do a Pi, but have not gotten to it yet. I've been playing with a full range Fostex, very nice. But one of my New Year's projects is to complete a Pi Aligned design. Trouble is, I'm not very good at the design stuff. I've run across a couple of very nice vintage 12" Utah speakers with big Alnico magnets. I'm wondering if they'd be suitable in a Thermonic 3pi? A friend measured them for me and the basic data is: $V_{as} = 233$ LFs = 25.1hz $R_e = 5.93$ ohms $L_e = 4.12$ mh $Q_{ms} = 3.96$ $Q_{es} = 0.30$ $Q_{ts} = 0.28$ SPL = 97db. Any thoughts? Would I still be able to use the PSD2002? I don't know the crossover of the PSD in the 3Pi, but I think these will go to 1.5khz, at least.

Subject: Re: Thermonic 3pi substitute?

Posted by [Wayne Parham](#) on Thu, 27 Dec 2001 06:24:59 GMT

[View Forum Message](#) <> [Reply to Message](#)

Best thing is to run PiAlign and see what size and port it recommends for your driver. It may or may not be similar to an existing cabinet design.