
Subject: making freq. response graph

Posted by [Chris R](#) on Mon, 30 Jun 2003 22:58:39 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi Wayne, If I have a 'scope and a swept audio generator, what else is required to produce a frequency response graph? Specifically, what's required to plot the response of an active crossover? Would I need some sort of a log amp to measure in dB? Does the audio generator have to sweep at a particular rate? Is there a PC program to do the same thing, maybe easier? The active crossover I made a while ago seems to work really well and I'd like to develop it more (variable freq, HF comp, etc). Thx, Chris

Subject: Re: making freq. response graph

Posted by [Wayne Parham](#) on Tue, 01 Jul 2003 05:12:18 GMT

[View Forum Message](#) <> [Reply to Message](#)

If you have a signal generator and scope, simply use a series of frequency points and measure the input and output voltages. This will allow you to plot a graph, which you can calibrate in linear voltage or in decibels. You'll probably want to scale with decibels, so convert voltage to decibels using the formula $\text{dB} = 20\log(V_{\text{out}}/V_{\text{in}})$.

Subject: Re: making freq. response graph

Posted by [Chris R](#) on Tue, 01 Jul 2003 20:26:07 GMT

[View Forum Message](#) <> [Reply to Message](#)

Sorry, I wasn't clear. I want to plot to display on the scope in real time. I guess I'd have to get the horizontal input tied to the freq. sweep signal. That I don't have. Chris

Subject: Re: making freq. response graph

Posted by [Wayne Parham](#) on Tue, 01 Jul 2003 20:37:58 GMT

[View Forum Message](#) <> [Reply to Message](#)

You're right that if you want to have an automatic process then you'll need a mechanism that synchronizes the generator sweep with the measurement device. You could have your computer D/A generate the sweep and read it with its A/D. Then synchronization would be a matter of timing logic in your code. Alternately, if your signal generator has some sort of synchronization

signal, perhaps you could read it programmatically. Either way, you'll need to have a mechanism in place.
