

---

Subject: Help with 10 Pi for bi-amped system

Posted by [peter.azinov@infoparc.com](mailto:peter.azinov@infoparc.com) on Wed, 15 Oct 2003 05:04:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Any help here would be greatly appreciated. Currently I use a bi-amped system with fullrange driver and bass in closed boxes. Crossover frequency is 200 Hz. All amps are push-pull tube. I would like to construct a similar system with a front horn for the full range driver and something similar to the 10 Pi for the bass. I am interested in SE Amps as a next project, so efficiency is important too. Which driver would you use for a bass horn which is active to 150-200 Hz? Has anyone built something like this. Any plans, dimensions, and or reference material would be very much appreciated. Thank you.

---

---

Subject: Output impedance and woofers

Posted by [Wayne Parham](#) on Wed, 15 Oct 2003 10:19:49 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Your use of a single-ended tube amp for bass might mean that the driver's impedance curve is as important as its sensitivity. If your amplifier's output impedance is high, then you'll really need a speaker that is mechanically damped and doesn't depend as much on electrical damping. While most woofers depend on electrical damping for the lion's share, some rely on mechanical damping more than others. So you can limit your choices to these kinds of woofers if necessary, and this decision should rest on your choice of amplifiers.

---

---

Subject: I did something like this..

Posted by [Shanko](#) on Wed, 15 Oct 2003 21:06:03 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I've done something similar, there is some info about it on my previous post (link below). The 130A's work extremely well with my SE amps. It seems likely that D130 and K130 JBL's would make good choices too. It would be worth reading up on what Wayne has said before about recommended cabs/drivers for valve amps also. Have fun! Shanko

Previous write up on 10Pi/Oris system

---

---

Subject: Re: I did something like this..

Posted by [peter.azinov@infoparc.com](mailto:peter.azinov@infoparc.com) on Thu, 16 Oct 2003 05:39:33 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

thank you for the tips, and your system looks great!!'ve got enormous improvement with tube amps on the bass. the music is more coherent than with the solid state amps. the bass is there also on low volume levels. the amps have plenty of power and a low output impedance - four e1519 per channel, so i dont know if single ended amp has a low enough output impedance to drive appropriately the Pi10 horns. If not the SE amp stays on the midrange horns and i would build some hybrid amps with tubes for the voltage amplification and a mosfet power follower to deliver the current.i have a bunch of questions, your input would be great appreciatedhow much distance do you need to the horns to get a coherent sound?is nearfield listening enjoyable?how big is your sweetspot? on my system there is a 1-person sweetspot.could you send me the plans of your chopped bass horns to get a feeling how big they really are?many thankspeter

---

Subject: Re: Output impedance and woofers  
Posted by [peter.azinov@infoparc.com](mailto:peter.azinov@infoparc.com) on Thu, 16 Oct 2003 05:54:43 GMT  
[View Forum Message](#) <> [Reply to Message](#)

Wayne,thank you for the advice. i feel not bound to the se amps. if the output impedance is not low enough to drive the woofer i would use my current push pull mono blocks with 4x e1519 and plenty of power and low Zout or build a hybrid amp for the bass with mosfet power follower to deliver the current in the ouput stage.yesterday i calculated some horns and they get really big...(i can not use a wall for each channel)i am not sure if there is enough room to fit them in. it would be great if you could send me the plans of the 10 Pi horn.thankspeter

---

Subject: You've got mail!  
Posted by [Wayne Parham](#) on Thu, 16 Oct 2003 06:52:48 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Subject: Re: I did something like this..  
Posted by [Shanko](#) on Fri, 17 Oct 2003 01:32:45 GMT  
[View Forum Message](#) <> [Reply to Message](#)

Hi,"how much distance do you need to the horns to get a coherent sound?"I listen maybe 12 ft from the horn mouths. Pretty close. "is nearfield listening enjoyable?" Yep, but I don't know how much closer I would want to get.how big is your sweetspot? on my system there is a 1-person

sweetspot.I have a two-seater that is in the 'zone' but one side is surely a bit 'sweeter'. Big Tractrix horns are not wide dispersion devices. A bigger room and more distance would help here. could you send me the plans of your chopped bass horns to get a feeling how big they really are?I see Wayne has sent you the plans - if you just cut out the back and top panels leaving the horn angle itself you will have it. Very simple, and placed in corners, reasonably compact(!)cheers,Shanko

---

---

Subject: thank you  
Posted by [peter.azinov@infoparc.com](mailto:peter.azinov@infoparc.com) on Tue, 21 Oct 2003 05:59:40 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

for all the infoprmatoin the tips and the plans

---