
Subject: pi corner horn

Posted by [David Morrison](#) on Tue, 13 Jan 2004 12:55:23 GMT

[View Forum Message](#) <> [Reply to Message](#)

could some one explain the general idea of this box. And what kind is it port, horn, or a hybrid. I am just trying to understand how they work or if possible could a get some kind of a horn design for either a single 8, 10, 12. For learning purposes dkmst23@yahoo.com Thank you David Morrison

Subject: Re: pi corner horn

Posted by [Wayne Parham](#) on Tue, 13 Jan 2004 15:33:51 GMT

[View Forum Message](#) <> [Reply to Message](#)

expansion is purely conical for the first eight feet, and the expansion then becomes parabolic. The transition from conical to parabolic happens when the ceiling is taken into consideration, so this eight foot figure is taken from ceiling height. There is a little more on this in the post called "Room corner characteristics." Other cornerhorn designs have folds that make a narrow throat

is very simple. The horn is developed solely from the room corner, and there are no folds within the cabinet. This provides a conical horn and provides directional eighth-space advantage. It is a simple design that works very well.

Subject: Re: pi corner horn

Posted by [Dean Kukral](#) on Tue, 13 Jan 2004 17:03:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

If I get this correct, then: This design permits you to use a higher crossover than with a Klipsch-type folded corner horn, doesn't it? Thus, you are able to use a two-way system with full compression horn loading above the woofer? (Avoiding the need of the "Holy Grail" midrange.)

Subject: Re: pi corner horn

Posted by [David Morrison](#) on Tue, 13 Jan 2004 17:14:03 GMT

[View Forum Message](#) <> [Reply to Message](#)

when i used the formula on the pi align paper it told me to use a box of .36 cu ft the sub i have right now is in 4.5 cu ft vented with 67.5 square inches of port. Can the corner horn be applied to any box volume for a sub. Because i doubt the cone will even move in that small of an enclosure.

Subject: Re: pi corner horn
Posted by [Wayne Parham](#) on Tue, 13 Jan 2004 21:43:04 GMT
[View Forum Message](#) <> [Reply to Message](#)

What woofer are you planning to use? What are its T/S specs?

Subject: Re: pi corner horn
Posted by [Wayne Parham](#) on Tue, 13 Jan 2004 21:48:01 GMT
[View Forum Message](#) <> [Reply to Message](#)

The design does allow higher crossovers than folded horns, and the speaker sounds very good in a two-way configuration. Original plans were for a three-way design, and those are still pretty commonly built. But you would be surprised how good the two-way configuration works, and the WAF is great with a nice wood horn up top. A two-way version of the loudspeaker is very attractive having no exposed drivers, and it sounds nice too.

Subject: Re: pi corner horn
Posted by [David Morrison](#) on Thu, 15 Jan 2004 22:55:39 GMT
[View Forum Message](#) <> [Reply to Message](#)

Model 9512e Woofer Diameter 12" Voice Coil Diameter 3" Voice Coil Type 4 layer DVC
Magnet Weight 300 oz Cone Type Synthetic Fiber Blend Power Handling RMS 1200 Power
Handling Music 2500 Suspension 75 mm X-max 29 mm Nominal Impedance Dual 2, Ohm DC
Resistance 1.9 Ohm Free Air Resonance 34 Hz Qts 0.31 Qes 0.33 Qms 4.15 Vas 35 L Le
mH .9 Sensitivity 89 dB Mounting Depth 7.25" Cut Out Diameter 11 1/16" Speaker Weight
44

Subject: Re: pi corner horn
Posted by [Wayne Parham](#) on Thu, 15 Jan 2004 23:49:32 GMT
[View Forum Message](#) <> [Reply to Message](#)

PiAlign suggests a 0.38ft³ cabinet tuned to 41Hz. That is a very small cabinet, and it is sometimes difficult to pack everything inside a motor chamber that's this tight. Especially in this case, with the motor extending almost 8" inside the cabinet. Performance from this cabinet is excellent, with a nice flat response curve. Really, you can use any box size between 0.4ft³ and 0.8ft³ tuned to 40Hz, and response remains nice and flat. If you get much above 0.8ft³, the system becomes underdamped and peaky. But you can employ an EBS alignment using cabinets

between 1.0ft³ and 1.5ft³ tuned to 30Hz. This gives extended, deep response with a fairly shallow shelf of only 3dB reduction. That's a pretty good solution. If your cabinet is much larger than that, it really should be sealed. There are many that prefer a sealed box, and if that is what you like, then a large box is acceptable. But f₃ is way up there at around 100Hz, so I don't really like this approach. Then again, rolloff is slow and gradual, so it isn't like you are absent of bass or anything like that. Still, I'd run this speaker in a ported box between 0.4ft³ and 1.5ft³, tuned in one of the ways described above. At any rate, once you've chosen a motor chamber size, then you can

that are critically damped to slightly overdamped for this configuration. EBS alignments are acceptable, as are other slightly peaked (underdamped) alignments, but as you might expect, they'll increase punch at the peaked frequency. This is sometimes pleasant, sometimes not. But system is well formed and sounds good, then your cornerhorn will sound good too.

Subject: Re: pi corner horn
Posted by [David Morrison](#) on Fri, 16 Jan 2004 15:32:04 GMT
[View Forum Message](#) <> [Reply to Message](#)

The box it is in now sound good with good spl too. However i do have another sub sitting a closet at home would this work better for the first try (rec box 1.0-1.75 cu ft) it t-s parameter are below.

Diameter 10 in Mag Weight 102 oz Freq Range 30-200Hz Nom Imp 2 x 4ohm RE 2 x 2.10 ohm Fs 30 Hz Qts 0.41 Qes 0.44 Qms 6.32 SD 54 In² Vas .99ft³ 28 L Cms 1.60E-04 m/N Mms 6.09 Oz VC Diameter 3 In VC 5 Mil Aluminum VC Ind 2.10 mH BL 12.6 Tm Xmax 14 mm SPL 85 dB Power 500 W RMS/1000W Peak

Subject: Re: pi corner horn
Posted by [Wayne Parham](#) on Fri, 16 Jan 2004 16:20:48 GMT
[View Forum Message](#) <> [Reply to Message](#)

Your second subwoofer would work in a chamber between 0.4ft³ and 1.0ft³ tuned to 30Hz. For larger cabinets, up to 2.0ft³, tune the chamber to 25Hz for best results.

Subject: Re: pi corner horn
Posted by [David Morrison](#) on Fri, 16 Jan 2004 17:51:10 GMT
[View Forum Message](#) <> [Reply to Message](#)

maybe i will try that one first. can a slot port be used in this box i love using them. i can adjust tuning for them freely to get the sound i want. also is port sound a big problem. what would

happen if i used the first sub with the box i am currently using which was the recommended box by the manufactor. Would it just lack in low's or be really boomy. Just curious.I hope i am not a pain these just interest me.

Subject: Re: pi corner horn

Posted by [Wayne Parham](#) on Fri, 16 Jan 2004 18:57:19 GMT

[View Forum Message](#) <> [Reply to Message](#)

Several models use a rectangular port; Some cylinder diameters are hard to obtain so I use a box-shaped port instead. And as long as the port isn't too small and power very high, port sound isn't a problem. But if the port is too small and airspeed becomes too high, you'll hear 'em chuff.

Subject: Re: pi corner horn

Posted by [David Morrison](#) on Tue, 20 Jan 2004 19:18:55 GMT

[View Forum Message](#) <> [Reply to Message](#)

what would hapen if i put the recomended horn on a larger volume box would this keep the responce better.

Subject: Re: pi corner horn

Posted by [Wayne Parham](#) on Tue, 20 Jan 2004 19:42:24 GMT

[View Forum Message](#) <> [Reply to Message](#)

You'd have to model or measure its response and see. From the simulations I ran of the woofer you've mentioned on this thread, performance suffers when using a significantly larger box.
