
Subject: Selenium 12co1P for center and rears to match my 7 PI's

Posted by [Brian Jefferys](#) on Mon, 29 Nov 2004 15:38:59 GMT

[View Forum Message](#) <> [Reply to Message](#)

I would like to use these motors in my new project for a center and rear channels to match my Selenium 7 Pi's. Any thoughts on which cabinet design to choose. I am a little constrained on size for the center channel as I have a screen hung above my fireplace for my projector. I have about 13" from the top of my screen to the ceiling. I can place it in front of the fireplace on the floor though. It would be centered between 2 2226h's in cabinets to get the lowest possible Hz. I also would like to know if anyone is using false corners with the 7 Pi's. The way the room is laid out no longer give me 3 Ft. on either side of my horns. Brian

Subject: Re: Selenium 12co1P for center and rears to match my 7 PI's

Posted by [Wayne Parham](#) on Mon, 29 Nov 2004 15:45:42 GMT

[View Forum Message](#) <> [Reply to Message](#)

What's the T/S specs on those Seleniums?

Subject: Re: Selenium 12co1P for center and rears to match my 7 PI's

Posted by [Brian Jefferys](#) on Mon, 29 Nov 2004 16:21:43 GMT

[View Forum Message](#) <> [Reply to Message](#)

Cut and paste from the Selenium spec sheet. SPECIFICATIONSTHIELE-SMALL PARAMETERS (WOOFER) Nominal diameter . 305 (12) mm(in) Nominal Impedance. 8 Minimum impedance @ 236 Hz. 6.9 Power handling Musical Program. 500 W Sensitivity (1W/1m) averaged from 100 to 10,000 Hz. 94 dB SPL Frequency response @ -10 dB. 55 to 18,000 Hz Fs. 47 Hz Vas. 93 (3.28) l (ft) Qts. 0.46 Qes. 0.52 Qms. 4.49o (half space). 1.79 % Sd. 0.0510 (79.1) m (in) Vd (Sd x Xmax). 63.75 (3.89) cm (in) L. 12.8 Tm Re. 6.3 Le @ Fs (voice coil inductance @ Fs). 2.287 mH Le @ 1 kHz (voice coil inductance @ 1 kHz). 0.863 mH Le @ 20 kHz (voice coil inductance @ 20 kHz). 0.334 mH Red @ Fs. 0.16 Red @ 1 kHz. 2.26 Red @ 20 kHz. 30.03 Krm. 1.191 mKxm. 13.833 mHErm. 0.863 Exm. 0.683 Xmax (max. excursion (peak) with 10% distortion). 3.0 (0.12) mm(in) Xlim (max. excursion (peak) before physical damage). 9.5 (0.37) mm(in) Brian

Subject: Re: Selenium 12co1P for center and rears to match my 7 PI's

Posted by [Wayne Parham](#) on Mon, 29 Nov 2004 17:15:13 GMT

[View Forum Message](#) <> [Reply to Message](#)

That speaker looks really good in bass-reflex cabinets from 0.4ft³ to 1.6ft³ tuned to 40Hz. PiAlign suggests 0.5ft³ tuned to 38Hz with a 1" long port, 0.75" diameter or 0.5" x 0.875" rectangular. Looks like it will make a great little speaker.
