

---

Subject: Woofer Tester 2

Posted by [Spinjack](#) on Mon, 14 Nov 2005 17:36:59 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Anyone know anything about the Dayton Woofer Tester 2 (part # 390-802) sold by Parts Express? Does it work? Is it worth the money?

---

---

Subject: Re: Woofer Tester 2

Posted by [Wayne Parham](#) on Mon, 14 Nov 2005 18:10:21 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I've heard good things about the Parts Express speaker tester, but I haven't used it. If I need to measure electro-mechanical parameters, here's how I do it:T/S Measurements

---

---

Subject: Re: Woofer Tester 2

Posted by [jimlg](#) on Mon, 14 Nov 2005 21:38:02 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I have one of the woofer tester 2's and find it very easy to use. I have no way to prove its accuracy than that the designs I have made using the data have turned out quite well. The data it has given me does match up with the data given by speaker companies known to report accurate figures. The VAS data test does require that you either have coins or a way to produce a known exact weight. It also allows you to save info in a folder, and gives a nice printable data sheet.

---

---

Subject: Re: Woofer Tester 2

Posted by [spkrman57](#) on Mon, 14 Nov 2005 22:14:13 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I use a cabinet of known proportions to measure Vas with. Much easier for me than all them weights on the cone.I have found the WT2 to be pretty accurate for a inexpensive device.Ron

---

---

Subject: Re: Woofer Tester 2

Posted by [Spinjack](#) on Mon, 14 Nov 2005 22:24:01 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Yeah, I like your method. Except I don't have a signal generator, an oscilloscope, or a sealed box of known volume that can accept a wide range of drivers. I think I've found some signal generator software, but the tester seemed to be the quick and easy way (Yoda would be sooooo disappointed). Also, getting the Vas values seemed to require quite a bit of through away work. Is there another way to calculate Vas without the need to build a sealed box of known volume, including driver volume?

---

---

Subject: Re: Woofer Tester 2

Posted by [Wayne Parham](#) on Mon, 14 Nov 2005 22:59:27 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I think that little tester is probably a pretty good deal. I just have had all the equipment, the scopes, meters, signal generators and what-not since the 1970's, so I'm comfortable using them. Oscilloscopes and meters aren't really all that great for acoustic measurements, but they're good for electrical measurements. They're really all you need to measure electro-mechanical parameters. You can measure Vas using a sealed box or added mass. You won't need a box for the added mass method. I used to approximate compliance with another method, but both the sealed box and added mass measurements are more accurate.

---